

L Number	Hits	Search Text	DB	Time stamp
-	407	(((database and data value and attribute and profil\$3 and table and	USPAT;	2002/11/20 17:32
		merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with	US-PGPUB;	
		attribute)) and (attribute near3 table)	EPO; JPO;	
			DERWENT;	
	93	(((database and data value and attribute and profil\$3 and table and	IBM_TDB USPAT;	2002/11/20 17:36
-	93	merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with	US-PGPUB;	2002/11/20 17:30
		attribute) and (value near3 attribute)) and (multiple near3 value)	ЕРО; ЛРО;	
		,,,	DERWENT;	
			IBM_TDB	
-	18	((((database and data value and attribute and profil\$3 and table and	USPAT;	2003/05/15 13:57
		merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with	US-PGPUB;	
		attribute)) and (attribute near3 table)) and (merg\$3 near3 table)	ЕРО; ЛРО;	
			DERWENT;	
	2	(((database and data value and attribute and profil\$3 and table and	IBM_TDB USPAT;	2002/11/20 17:37
-	2	merg\$3 and overflow) and (stor\$3 near3 data)) and ((entry entries) with	US-PGPUB;	2002/11/20 17.57
		attribute) and (value near3 attribute)) and (overflow with table)	ЕРО; ЈРО;	
		,	DERWENT,	
			IBM_TDB	
-	50	merged adj table	USPAT;	2003/05/02 13:46
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT; IBM_TDB	
l _ i	51	overflow adj table	USPAT;	2003/05/02 13:46
-	J1	overnow adjustice	US-PGPUB;	2003/03/02 13:10
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	19	(merged adj table) and database	USPAT;	2003/05/02 13:46
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	18	(overflow adj table) and database	USPAT;	2003/05/02 13:55
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
		14.1	IBM_TDB	2002/05/02 12:50
-	146	database and (multiple near3 value near3 attribute) and (table group\$3 categor\$5 sort\$3)	USPAT; US-PGPUB;	2003/05/02 13:59
		categoria sortas j	EPO; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	27	((((database and data value and attribute and (pars\$3 profil\$3) and table	USPAT;	2003/05/15 14:00
		and merg\$3 and overflow) and (stor\$3 near3 (value data))) and ((entry	US-PGPUB;	
		entries) with attribute)) and (attribute near3 table)) and (merg\$3 near3	EPO; JPO;	
		table)	DERWENT; IBM_TDB	
_	27	(((((database and data value and attribute and (pars\$3 profil\$3) and	USPAT;	2003/05/15 15:17
-	21	table and merg\$3 and overflow) and (stor\$3 near3 (value data))) and	US-PGPUB;	
		((entry entries) with attribute)) and (attribute near3 table)) and (merg\$3	ЕРО; ЈРО;	
		near3 table)) and (single multiple (multiple adj2 value) (multi-value))	DERWENT;	
			IBM_TDB	
-	70	(database (data adj base)) and ((attribute) with (data near3 (sort\$3	USPAT;	2003/11/05 13:08
		categor\$5 profil\$4 pars\$4)) with table)	US-PGPUB;	
			EPO; JPO; DERWENT;	
<u> </u>			IBM_TDB	
			ממז ואוש	<u> </u>



•	70	(database (data adj base)) and ((attribute) with (data near3 (sort\$3	USPAT;	2003/05/16 08:22
	_	categor\$5 profil\$4 pars\$4)) with table)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	18	((database (data adj base)) and ((attribute) with (data near3 (sort\$3	USPĀT;	2003/05/15 17:27
		categor\$5 profil\$4 pars\$4)) with table)) and pars\$3	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT; IBM_TDB	
1	27	(database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 11:31
	2,	near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3)	US-PGPUB;	2003/03/10 11/01
		near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	2002/05/1/ 00 56
-	13	(database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 09:56
		near3 (categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	US-PGPUB; EPO; JPO;	
		((neight joins overnow attribute) neart woic)))	DERWENT;	
			IBM_TDB	
-	51	(database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 09:06
		near3 (defin\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3	US-PGPUB;	
		record\$3) near3 ((merg\$3 join\$3 overflow attribute) near3 table)))	EPO; JPO; DERWENT;	
			IBM TDB	
_	13	((database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 10:05
	15	near3 (categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3	US-PGPUB;	
		((merg\$3 join\$3 overflow attribute) near3 table)))) and (single multiple	ЕРО; ЈРО;	
1		multi-valu\$2 value)	DERWENT;	
			IBM_TDB	2002/05/16 10:05
-	13	(((database (data adj base)) and attribute and (((information value data) near3 (categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3) near3	USPAT; US-PGPUB;	2003/05/16 10:05
		((merg\$3 join\$3 overflow attribute) near3 table)))) and (single multiple	ЕРО; ЛРО;	
		multi-valu\$2 value)) and (table merg\$3 join\$3 overflow default)	DERWENT;	
			IBM_TDB	
-	27	((database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 10:05
		near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3)	US-PGPUB;	
		near3 ((merg\$3 join\$3 overflow attribute) near3 table)))) and (single multiple multi-valu\$2 value)	EPO; JPO; DERWENT;	
		muniple muni-valugz value)	IBM_TDB	
_	27	(((database (data adj base)) and attribute and (((information value data)	USPAT;	2003/05/16 10:06
		near3 (sort\$3 categor\$5 profil\$4 pars\$4)) same ((sav\$3 stor\$3 record\$3)	US-PGPUB;	
		near3 ((merg\$3 join\$3 overflow attribute) near3 table)))) and (single	EPO; JPO;	
		multiple multi-valu\$2 value)) and (table merg\$3 join\$3 overflow	DERWENT; IBM_TDB	
_	1	default) 778235.ap. and (database (data adj base)) and attribute and	USPAT;	2003/05/16 11:43
	'	(((information value data) near3 (sort\$3 categor\$5 profil\$4 pars\$4))	US-PGPUB;	
		same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow	ЕРО, ЈРО,	
		attribute) near3 table))) and (single multiple multi-valu\$2 value) and	DERWENT;	
		(table merg\$3 join\$3 overflow default) and (overflow single entr\$3	IBM_TDB	
	1	multiple multi many one more merg\$3 join\$ combin\$3) (778235.ap. and (database (data adj base)) and attribute and	USPAT;	2003/05/16 11:45
	'	(((information value data) near3 (sort\$3 categor\$5 profil\$4 pars\$4))	US-PGPUB;	
		same ((sav\$3 stor\$3 record\$3) near3 ((merg\$3 join\$3 overflow	ЕРО, ЈРО,	
		attribute) near3 table))) and (single multiple multi-valu\$2 value) and	DERWENT;	
		(table merg\$3 join\$3 overflow default) and (overflow single entr\$3	IBM_TDB	
		multiple multi many one more merg\$3 join\$ combin\$3)) and (recogni\$3 identif\$5 pars\$3 profil\$3 operation)		
_	5	"636626" .pn.	USPAT;	2003/05/16 15:45
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
<u></u>		<u></u>	IBM_TDB	



-	2	"6366926" .pn.	USPAT; US-PGPUB;	2003/05/16 15:45
			EPO; JPO; DERWENT;	
	052	(((analysts actogorts paratiz argunists) with (input data information))	IBM_TDB USPAT;	2003/11/05 13:11
-	853	(((analyz\$5 categor\$5 pars\$3 organiz\$5) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same	US-PGPUB;	2003/11/03 13.11
		table)	ЕРО; ЛРО;	
			DERWENT;	
	93	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	IBM_TDB USPAT;	2003/11/05 13:29
-	93	same (merg\$3 join\$3 attribut\$3) same table)	US-PGPUB;	2003/11/03 13:27
		, and the same of	ЕРО; ЈРО;	i
			DERWENT;	
	6	(((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	IBM_TDB USPAT;	2003/11/05 13:30
		same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many)	US-PGPUB;	2003/11/03 13:30
		near4 value) and ((single one) near4 value)	ЕРО; ЈРО;	
			DERWENT;	
	39	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	IBM_TDB USPAT;	2003/11/05 13:30
-	. 39	same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many)	US-PGPUB;	2003/11/03 13:30
		near4 value) or ((single one) near4 value))	ЕРО; ЈРО;	
			DERWENT;	
	0	((((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	IBM_TDB USPAT;	2003/11/05 13:19
	"	same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many)	US-PGPUB;	
		near4 value) or ((single one) near4 value))) not ((((pars\$3) with (input	EPO; JPO;	
		data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table))	DERWENT; IBM TDB	
1_	33	(((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	USPAT;	2003/11/05 13:19
		same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many)	US-PGPUB;	
		near4 value) or ((single one) near4 value))) not (((((pars\$3) with (input	EPO; JPO;	
		data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many) near4 value) and ((single	DERWENT; IBM_TDB	
		one) near4 value))		
-	63	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	USPAT;	2003/11/05 13:40
		same ((merg\$3 join\$3 attribut\$3) with table))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/11/05 12 21
-	6	((((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same ((merg\$3 join\$3 attribut\$3) with table))) and (((((pars\$3) with	USPAT; US-PGPUB;	2003/11/05 13:31
		((((paiss5) with table)) and ((((paiss5) with table))) and (((((paiss5) with table)))) and (((((paiss5) with table)))) and (((((paiss5) with table))))) and (((((paiss5) with table))))) and (((((paiss5) with table))))) and (((((paiss5) with table))))) and (((((paiss5) with table))))))) and (((((paiss5) with table))))))))))))))))))))))))))))))))))))	ЕРО; ЛРО;	
		join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or	DERWENT;	
		((single one) near4 value)))) not (((((pars\$3) with (input data	IBM_TDB	
		information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single		
		one) near4 value))) not (((((pars\$3) with (input data information)) same		
		(record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table))		
	0	and ((multiple many) near4 value) and ((single one) near4 value))) ((((((pars\$3) with (input data information)) same (record\$3 sav\$3	USPAT;	2003/11/05 13:31
		stor\$3) same ((merg\$3 join\$3 attribut\$3) with table))) and ((((pars\$3)	US-PGPUB;	
		with (input data information)) same (record\$3 sav\$3 stor\$3) same	EPO; JPO;	
		(merg\$3 join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value)))) not (((((pars\$3) with (input data	DERWENT; IBM_TDB	
		information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3	2	1
		attribut\$3) same table)) and (((multiple many) near4 value) or ((single		
		one) near4 value))) not (((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3 join\$3 attribut\$3) same table))		S. Harrison
		and ((multiple many) near4 value) and ((single one) near4 value)))) not		
		(((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)		
		same (merg\$3 join\$3 attribut\$3) same table)) and ((multiple many)		
	<u></u>	near4 value) and ((single one) near4 value))	<u> </u>	<u> </u>



-	33	((((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	USPAT;	2003/11/05 13:33
		same ((merg\$3 join\$3 attribut\$3) with table))) and (((((pars\$3) with	US-PGPUB;	
ļ		(input data information)) same (record\$3 sav\$3 stor\$3) same (merg\$3	ЕРО; ЛРО;	
		join\$3 attribut\$3) same table)) and (((multiple many) near4 value) or	DERWENT;	
		((single one) near4 value)))	IBM_TDB	
_	1	(((pars\$3) with (input data information)) same (record\$3 sav\$3 stor\$3)	USPAT;	2003/11/05 13:41
		same ((merg\$3 join\$3 attribut\$3) with relation))	US-PGPUB;	
]		ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	